



Contenitori per cartucce serie plastica

Plastic housings for cartridge

FP 100 MINI

48

FP 102 MINI

49

FP 300

50

FPD 304

52

RICAMBI - SPARE PARTS

54

ACCESSORI - ACCESSORIES

55



FP 100 MINI

CONTENITORE PARTICOLARMENTE ADATTO AD USO TECNICO DOVE È NECESSARIA UNA GRANDE FLESSIBILITÀ D'USO E PRATICITÀ DEL MANUFATTO.

HOUSING PARTICULARLY SUITABLE FOR TECHNICAL USES WHERE LARGE VERSATILITY AND RESISTANCE OF PRODUCT ARE REQUIRED.



CARATTERISTICHE TECNICHE

Pressione max. d'esercizio 8 bar
 Temperatura min/max. d'esercizio da 0°C a + 30°C
 Inserti in ottone
 Testata 3 vie e ghiera in polipropilene caricato
 Selezione orizzontale/verticale con tappo +O Ring inclusi
 Vaso in SAN trasparente
 Staffabile

TECHNICAL FEATURES

Max. working pressure 8 bar
 Min/Max. working temperature 0°C / +30°C
 Brass inserts
 Three ways head and ring made of filled polypropylene
 Choice of horizontal or vertical way-out by means of threaded plug + OR
 Transparent SAN bowl
 Possibility to equip with wall bracket



Codice Code	Modello Model	Attacchi Connect	Lunghezza cartuccia Cartridge lenght	Portata Flowrate (Lt/h)	Dimensioni Dimensions (mm)		Prezzo Price
					L	H	
FP100.001	FP100 MINI	1/2"	5" MINI Ø 50 mm	4500	85	175	

CARTUCCE COMPATIBILI - RICAMBI - ACCESSORI COMPATIBLE CARTRIDGES - SPARE PARTS - ACCESSORIES

modello filtro filter model	cartucce compatibili compatible cartridges	codici cartucce cartridges code
FP 100 MINI	FA 5" MINI Ø50mm	Da FA000.006 a FA000.010
	PL MINI 60 MCR	PL000.001
	CV MINI	CV000.001
	CN MINI	CN000.001
	CT MINI	CT000.001
RICAMBI - SPARE PARTS	VASO SAN MINI	303P2MIGO
	O-RING	502OR04250
ACCESSORI - ACCESSORIES	CHIAVE	3051000603
	STAFFA SINGOLA	3041100041

FP 102 MINI

CONTENITORE PARTICOLARMENTE ADATTO AD USO TECNICO DOVE È NECESSARIA UNA GRANDE FLESSIBILITÀ D'USO E PRATICITÀ DEL MANUFATTO.

HOUSING PARTICULARLY SUITABLE FOR TECHNICAL USES WHERE LARGE VERSATILITY AND RESISTANCE OF PRODUCT ARE REQUIRED.

CARATTERISTICHE TECNICHE

Pressione max. d'esercizio 8 bar
 Temperatura min/max. d'esercizio da 0°C a + 30°C
 Inserti in ottone
 Testata 2 vie IN-OUT in linea e ghiera in polipropilene caricato
 Vaso in SAN trasparente
 Staffabile

TECHNICAL FEATURES

Max. working pressure 8 bar
 Min/Max. working temperature 0°C / +30°C
 Brass inserts
 Two ways IN-OUT in line head and ring made of filled polypropylene
 Transparent SAN bowl
 Possibility to equip with wall bracket



Codice Code	Modello Model	Attacchi Connect	Lunghezza cartuccia Cartridge lenght	Portata Flowrate (Lt/h)	Dimensioni Dimensions (mm)		Prezzo Price
					L	H	
FP102.001	FP102 MINI	1/2"	5" MINI Ø 50 mm	4500	85	168	

CARTUCCE COMPATIBILI - RICAMBI - ACCESSORI COMPATIBLE CARTRIDGES - SPARE PARTS - ACCESSORIES

modello filtro filter model	cartucce compatibili compatible cartridges	codici cartucce cartridges code
FP 102 MINI	FA 5" MINI Ø50mm	Da FA000.006 a FA000.010
	PL MINI 60 MCR	PL000.001
	CV MINI	CV000.001
	CN MINI	CN000.001
	CT MINI	CT000.001
RICAMBI - SPARE PARTS	VASO SAN MINI	303P2MIGO
	O-RING	502OR04250
ACCESSORI - ACCESSORIES	CHIAVE	3051000603
	STAFFA SINGOLA	3041100041

FP 300

CONTENITORE CON VASO IN SAN TRASPARENTE AD USO DOMESTICO E TECNOLOGICO PER IL TRATTAMENTO DI ACQUE POTABILI IN GENERALE A PH NEUTRO.

HOUSING WITH TRANSPARENT SAN BOWL FOR DOMESTIC AND TECHNOLOGICAL USE FOR TREATMENT OF DRINKING WATER WITH NEUTRAL PH.



CARATTERISTICHE TECNICHE

Pressione max. d'esercizio 8 bar
 Temperatura min/max. d'esercizio da
 0°C a +30°C
 Inserti in ottone
 Testata in polipropilene caricato
 Staffabile

TECHNICAL FEATURES

Max. working pressure 8 bar
 Min/Max. working temperature
 0°C / +30°C
 Brass inserts
 Head made of filled polypropylene
 Possibility to equip with wall bracket



Codice Code	Modello Model	Attacchi Connect	Lunghezza cartuccia Cartridge lenght	Portata Flowrate (Lt/h)	Dimensioni Dimensions (mm)		Prezzo Price
					L	H	
FP300.001	FP 300	1/2"	5"	6000	133	195	
FP300.002	FP 300	1/2"	7"	6000	133	245	
FP300.003	FP 300	1/2"	9" 3/4	6000	133	307	
FP300.004	FP 300	1/2"	20"	6000	133	588	
FP300.005	FP 300	3/4"	5"	6500	133	195	
FP300.006	FP 300	3/4"	7"	6500	133	245	
FP300.007	FP 300	3/4"	9" 3/4	6500	133	307	
FP300.008	FP 300	3/4"	20"	6500	133	588	
FP300.009	FP 300	1"	5"	7000	133	195	
FP300.010	FP 300	1"	7"	7000	133	245	
FP300.011	FP 300	1"	9" 3/4	7000	133	307	
FP300.012	FP 300	1"	20"	7000	133	588	
FP300.015	FP 300	1" 1/4	9" 3/4	13000	133	307	
FP300.016	FP 300	1" 1/4	20"	13000	133	588	
FP300.019	FP 300	1" 1/2	9" 3/4	13000	133	307	
FP300.020	FP 300	1" 1/2	20"	13000	133	588	



CARTUCCE COMPATIBILI - RICAMBI - ACCESSORI
COMPATIBLE CARTRIDGES - SPARE PARTS - ACCESSORIES

modello filtro filter model	cartucce compatibili compatible cartridges	codici cartucce cartridges code
FP 300 5" DA 1/2" - 3/4" - 1"	FA	Da FA000.011 a FA000.015
	PA	Da PA000.005 a PA000.008
	PL	PL000.004 - PL000.005
	PX	PX000.002 - PX000.003
	CV	CV000.002
	CN	CN000.002
	CT	CT000.002
FP 300 5" DA 1" 1/4 - 1" 1/2	PA (att. 1"1/4 doppio O-RING)	PA000.0053 - PA000.0063 - PA000.0073 - PA000.0083
FP 300 7" DA 1/2" - 3/4" - 1"	FA	Da FA000.016 a FA000.020
	PA	Da PA000.009 a PA000.012
	PL	PL000.006 - PL000.007
	PX	PX000.005 - PX000.006
	CV	CV000.003
	CN	CN000.003
	CT	CT000.003
FP 300 7" DA 1" 1/4 - 1" 1/2	PA (att. 1"1/4 doppio O-RING)	PA000.0093 - PA000.0103 - PA000.0113 - PA000.0123
FP 300 9" 3/4 DA 1/2" - 3/4" - 1"	FA	Da FA000.021 a FA000.025
	PA	Da PA000.013 a PA000.016
	PL	PL000.008 - PL000.009
	PX	Da PX000.008 a PX000.010
	CV	CV000.004
	CN	CN000.004
	CT	CT000.004
	CRC	CR000.004
	CRA	RA000.004
	CRM	RM000.004
	CE	CE000.002
	CES	ES000.003
	FP 300 9" 3/4 DA 1" 1/4 - 1" 1/2	PA (att. 1"1/4 doppio O-RING)
PLG (att. 1"1/4)		LG000.001 - LG000.002
PX (att. 1"1/4)		PX000.0083 - PX000.0093 - PX000.0103
FP 300 20" DA 1/2" - 3/4" - 1"	FA	Da FA000.026 a FA000.030
	PA	Da PA000.017 a PA000.020
	PL	PL000.012 - PL000.013
	PX	Da PX000.012 a PX000.014
	CV	CV000.005
	CN	CN000.005
	CT	CT000.005
	CRC	CR000.005
	CRA	RA000.005
	CRM	RM000.005
FP 300 20" DA 1" 1/4 - 1" 1/2	PA (att. 1"1/4 doppio O-RING)	PA000.0173 - PA000.0183 - PA000.0193 - PA000.0203
	PLG (att. 1"1/4)	LG000.004 - LG000.005
	PX (att. 1"1/4)	PX000.0123 - PX000.0133 - PX000.0143
RICAMBI - SPARE PARTS	VASO SAN 5"	303P2052P0
	VASO SAN 7"	303P207P0
	VASO SAN 9"3/4	303P209P0
	VASO SAN 20"	303P219P1
	O-RING	502OR4362
	GHIERA	302P11004
ACCESSORI - ACCESSORIES	CHIAVE	3051000403
	STAFFA SINGOLA	3041100021

FPD 304

CONTENITORE DOPPIO, ASSEMBLATO CON NIPPLE E STAFFA, AD USO DOMESTICO E INDUSTRIALE PER IL TRATTAMENTO DI ACQUE POTABILI E NON, PARTICOLARMENTE ADATTO DOV'È NECESSARIA UNA FILTRAZIONE A PIÙ STADI E PRATICITÀ DEL MANUFATTO.

DUBLE HOUSING, ASSEMBLED WITH FITTING AND BRACKET, FOR DOMESTIC AND INDUSTRIAL USES FOR TREATMENT OF DRINKING AND NO DRINKING WATER, PARTICULARLY SUITABLE WHERE A DOUBLE FILTRATION AND PRACTICABILITY OF THE PRODUCT ARE REQUIRED.



CARATTERISTICHE TECNICHE

Pressione max. d'esercizio 8 bar
 Temperatura min/max. d'esercizio da 0°C a +30°C
 Inserti in ottone o senza inserti
 Vaso in SAN trasparente
 Testata e ghiera in polipropilene
 Niplo di collegamento con Oring
 Staffa doppia

TECHNICAL FEATURES

*Max. working pressure 8 bar
 Min/Max. working temperature 0°C / +30°C
 Brass inserts or without inserts
 Transparent SAN bowl
 Head and ring made of filled polypropylene
 Fitting with Oring
 Double/triple bracket*

Codice Code	Modello Model	Attacchi Connect	Lunghezza cartuccia Cartridge length	Portata Flowrate (Lt/h)	Dimensioni Dimensions (mm)		Prezzo Price
					L	H	
PD304.002	FPD 304	1/2"	7"	6000	268	296	
PD304.003	FPD 304	1/2"	9" 3/4	6000	268	358	
PD304.004	FPD 304	1/2"	20"	6000	268	639	
PD304.006	FPD 304	3/4"	7"	6500	268	296	
PD304.007	FPD 304	3/4"	9" 3/4	6500	268	358	
PD304.008	FPD 304	3/4"	20"	6500	268	639	
PD304.010	FPD 304	1"	7"	7000	268	296	
PD304.011	FPD 304	1"	9" 3/4	7000	268	358	
PD304.012	FPD 304	1"	20"	7000	268	639	



CARTUCCE COMPATIBILI - RICAMBI - ACCESSORI
COMPATIBLE CARTRIDGES - SPARE PARTS - ACCESSORIES

modello filtro <i>filter model</i>	cartucce compatibili <i>compatible cartridges</i>	codici cartucce <i>cartridges code</i>
FPD 304 7" DA 1/2" - 3/4" - 1"	FA	Da FA000.016 a FA000.020
	PA	Da PA000.009 a PA000.012
	PL	PL000.006 - PL000.007
	PX	PX000.005 - PX000.006
	CV	CV000.003
	CN	CN000.003
	CT	CT000.003
	CE	CE000.001
FPD 304 7" DA 1" 1/4 - 1" 1/2	PA (att. 1" 1/4 doppio O-RING)	PA000.0093 - PA000.0103 - PA000.0113 - PA000.0123
FPD 304 9" 3/4 DA 1/2" - 3/4" - 1"	FA	Da FA000.021 a FA000.025
	PA	Da PA000.013 a PA000.016
	PL	PL000.008 - PL000.009
	PX	Da PX000.008 a PX000.010
	CV	CV000.004
	CN	CN000.004
	CT	CT000.004
	CRC	CR000.004
	CRA	RA000.004
	CRM	RM000.004
	CE	CE000.002
	CES	ES000.003
	FPD 304 9" 3/4 DA 1" 1/4 - 1" 1/2	PA (att. 1" 1/4 doppio O-RING)
PLG (att. 1" 1/4)		LG000.001 - LG000.002
PX (att. 1" 1/4)		PX000.0083 - PX000.0093 - PX000.0103
FPD 304 20" DA 1/2" - 3/4" - 1"	FA	Da FA000.026 a FA000.030
	PA	Da PA000.017 a PA000.020
	PL	PL000.012 - PL000.013
	PX	Da PX000.012 a PX000.014
	CV	CV000.005
	CN	CN000.005
	CT	CT000.005
	CRC	CR000.005
	CRA	RA000.005
	CRM	RM000.005
	CE	CE000.003
RICAMBI - SPARE PARTS	VASO SAN 7"	303P207P0
	VASO SAN 9"3/4	303P209P0
	VASO SAN 20"	303P219P1
	O-RING	502OR4362
ACCESSORI - ACCESSORIES	CHIAVE	3051000403
	STAFFA SINGOLA	3041100021

RICAMBI PER CONTENITORI

HOUSING SPARE PARTS

Codice <i>Code</i>	Descrizione <i>Description</i>	Prezzo <i>Price</i>
303P2MIG0	VASO SAN MINI - <i>SAN VASE MINI</i>	
303P205P0	VASO SAN 5" - <i>SAN VASE 5"</i>	
303P207P0	VASO SAN 7" - <i>SAN VASE 7"</i>	
303P209P0	VASO SAN 9" 3/4 - <i>SAN VASE 9" 3/4</i>	
303P219P1	VASO SAN 20" - <i>SAN VASE 20"</i>	
502OR04250	O-RING VASO Mod: FP 100 - 102 mini	
502OR4362	O-RING VASO Mod: FP 300 - FPD 304	
302P11004	GHIERA VASO FP300 - <i>RING VASE FP300</i>	

ACCESSORI ACCESSORIES

Codice Code	Descrizione Description	Prezzo Price
3041100021	STAFFA SINGOLA MOD. FP 300 BRACKET SINGLE MOD. FP 300	
3041100041	STAFFA SINGOLA MOD. FP 100 MINI - FP 102 MINI BRACKET SINGLE MOD. FP 100 MINI - FP 102 MINI	
3041200021	STAFFA DOPPIA MOD. FPD 304 DOUBLE BRACKET MOD. FPD 304	
3051000403	CHIAVE MOD. FP 300 - FPD 304 KEY MOD. FP 300 - FPD 304	
3051000603	CHIAVE MOD. FP 100 MINI - FP 102 MINI - CRISTAL MINI KEY MOD. FP 100 MINI - FP 102 MINI - CRISTAL MINI	



